

# 2460

# StealthLite™

The rechargeable version of the StealthLite™ 2410 LED Flashlight,. The 2460 uses the 2469P Ni-MH batteries for extended burn time. It comes with a charger base unit that can be installed at home or work using the transformer, or in a vehicle through direct wiring or 12V plug-in.

- Built Pelican tough
- Rechargeable battery pack
- Super bright 1 watt LED beam
- Unconditional Lifetime Guarantee of Excellence
- NOW WITH NEW UPGRADED SPECS
- Waterproof



#### **DIMENSIONS**

**Length** 7.00" (17.8 cm)

#### **MATERIALS**

**Body** ABS

**O-Ring** Ethylene Propylene **Lens** Polycarbonate (PC)

Shroud ABS

Contact Spring Retainer Stainless Steel / Phosphore Bronze

### **COLOURS**

High Visibility Yellow

#### LIGHT SPECS

Lamp Type LED

#### **POWER**

Battery Size AA
Battery Type NiMH
Battery Quantity 4
Batteries Included yes
Rechargeable yes
Charge Time 3 hrs
Volts 4.8v

### WEIGHT

Weight With Batteries 7.8 oz (221 gr)
Weight Without
Batteries 4.4 oz (125 gr)
Packaged Weight 1.4 oz (40 gr)

# **SWITCH**

**Switch Type** One-handed Safety Switch

**Light Modes** On / Off

# **CERTIFICATIONS**

Class I, Division 2 Class II, Division 2

# OTHER

SubmersibleyesMinimum Pack1MilitaryyesPackage CodeC

| FL1 STANDARD   | HIGH          |
|--|---------------|
| 31/2   | 183<br>LUMENS |
| $\Theta$   | 5h 0mins      |
|  | 179m          |
|  | 8050cd        |
| The state of the s | IPX7          |

# **ACCESSORIES**







**2467F** 110V Transformer (USA)



**6061F**Direct Wiring Rig for Fast
Charger



**2468A** 220V Transformer (Australia)



**2469P** Replacement Battery

### Pelican

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311 <u>sales@pelican.com</u> • <u>www.pelican.com</u>

Document created on 05-02-24