



1965 MityLite™

YOUR WORLDWIDE PASSPORT THROUGH HAZARDOUS LOCATIONS

While working in hazardous locations, remember a flashlight can be an ignition source. When you need the latest and brightest LED technology in a compact form factor, choose the new **MityLite™ 1965 LED** from Pelican. Small enough to fit in your shirt pocket, yet bright enough to illuminate your work area.

Long lasting, energy efficient, bright LEDs, along with a compact package make the new **MityLite™ 1965 LED** the safety approved light for the job.

- Compact and Lightweight
- IPX7 Waterproof
- Twist on/off activation
- 2 AAA Batteries



DIMENSIONS

Length 5.48" (13.9 cm)

MATERIALS

Body EXL
O-Ring EPDM
Lens Clear Polycarbonate (PC)
Shroud EXL
Contact Spring Retainer Phosphore Bronze

COLORS

■ Black ■ High Visibility Yellow

LIGHT SPECS

Lamp Type LED

POWER

Battery Size AAA
Battery Type Alkaline
Battery Quantity 2
Batteries Included yes
Volts 3.0v

WEIGHT

Weight With Batteries 1.9 oz (54 gr)
Weight Without Batteries 1.1 oz (31 gr)

SWITCH







Switch Type	Rotary
Light Modes	On / Off

CERTIFICATIONS

IECEX ia
Class III, Division 1
Class II, Division 1
Class I, Division 1

OTHER

Minimum Pack	12
Package Code	C

FL1 STANDARD	HIGH
	34 LUMENS
	3h 45mins
	45m
	512cd
	2m
	IPX7

Pelican

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311
sales@pelican.com • www.pelican.com

Document created on 09-18-24