

# 0350

## **Protector**

Cube Case

Sensitive equipment needs protection, and since 1976 the answer has been the Pelican™ Protector Case. These cases are designed rugged, and travel the harshest environments on earth. Against the extreme cold of the arctic or the heat of battle, Pelican cases have survived.

Made in the USA, these tough cases are designed with an automatic purge valve, that equalizes air pressure, a watertight silicone O-ring lid, overmolded rubber handles and stainless steel hardware.

- Personalized nameplate service available
- · Large 2-person fold down handles
- · Watertight, crushproof, and dustproof
- 3 level Pick N Pluck™ with convoluted lid foam
   Automatic pressure equalization valve balances interior pressure, keeps water out
- Lifetime Guarantee of Excellence
- O-ring seal
- Open cell core with solid wall design strong, light weight
- Stainless steel hardware and padlock protectors



#### **CONFIGURATIONS**



0350 Standard



0354 With Padded Dividers



0350NF No Foam



0350WF With Foam

### **DIMENSIONS**

20.00 x 20.00" x 20.00 (50.8 x 50.8 x 50.8 cm) Interior (L×W×D) Exterior (L×W×D) 22.50 x 22.43" x 21.25 (57.2 x 57 x 54 cm)

**Lid Depth** 5.00" (12.7 cm) **Bottom Depth** 15.00" (38.1 cm) **Total Depth** 20" (50.8 cm) **Int Volume** 4.63 ft3 (0.131 m3) Padlock Hole Diameter 0.31" (0.8 cm)

## **MATERIALS**

**Body** Polypropylene

Latch ABS **O-Ring** Polymer **Pins** Stainless Steel Foam 1.3 lb Polyurethane

**Purge Body** ABS

### **COLOURS**



## WEIGHT

 Weight With Foam
 32.01 lbs (14.5 kg)

 Weight Empty
 25.99 lbs (11.8 kg)

 Buoyancy
 268.96 lbs (122 kg)

 Master Pack Weight
 33.89 lbs (15.4 kg)

### **TEMPERATURE**

**Minimum Temperature** -40°F (-40 °C) **Maximum Temperature** 190°F (87.8 °C)

## **CERTIFICATIONS**

IP67

Def Stan 81-41

### **OTHER**

Master Pack1NameplateyesReduced AreayesMilitaryyes

## **ACCESSORIES**



**0351** 7 pc. Replacement Foam Set



**0353**Replacement O-ring



**0357** Cube Case Mobility Package



**0359** Lid Organizer



**1507** Quick Mounts - set of 4



**1506TSA** TSA Lock



**1500D** Desiccant Silica Gel

Document created on 10-16-25