

# 7610

#### Tactical Flashlight

Don't let low battery power freeze you in your tracks. Our new Pelican™ 7610 tactical light is compatible with 1 AA, 2 CR123 or the Pelican 18650 lithium ion rechargeable battery, giving you choices to reload with more battery options to keep the mission going. The power is up to you. The Pelican™ 7610 is loaded with high, strobe, medium and low mode options that can be programmed in five different combinations. A full time battery level indicator and armored with a type III hard anodized finish, the Pelican™ 7610 can take a hit and will never keep you guessing in the dark.

- Type III hard anodized finish
- Full Time Battery Level Indication
- Will run on 1 AA, 2 CR123 or Pelican / Peli rechargeable batteries
- Up to 1018 lumens (with 2x CR123 batteries)
- Four programmable modes (High / Strobe / Medium / Low)
- Five selectable programs



#### DIMENSIONS

**Length** 5.44" (13.8 cm)

#### **MATERIALS**

**Body** Aluminum with Type III Anodized

**O-Ring** NBR

**Lens** AR Coated Glass

**Shroud** Aluminum with Type III Anodized

Clip High Carbon Steel

#### **COLOURS**

Black

#### LIGHT SPECS

Lamp Type LED

### **POWER**

Battery Size AA
Battery Type Alkaline
Battery Quantity 1
Batteries Included yes

Battery Level Indicator Full-time battery indicator

Volts 1.5v

## WEIGHT

Weight With Batteries 5.5 oz (156 gr)
Weight Without
Batteries 4.7 oz (133 gr)

Switch Type Light Modes Push Button / Momentary Tail Button High / Strobe / Medium / Low

FL1 STANDARD	HIGH	MEDIUM	LOW
31/4	1018 LUMENS	531 LUMENS	25 LUMENS
$\Theta$	1h 30mins	2h 0mins	33h 0mins
	227m	151m	33m
	12856cd	5674cd	273cd
The	IPX8 (1m)		

## **ACCESSORIES**



**7616** Nylon Holster



**7617** Holster / Wand Kit



**2469P** Replacement Battery



2388 USB Charger



**2389**Replacement Battery



**7608** Plastic Holster



**2387** Battery Casing

#### Pelican

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311 <u>sales@pelican.com</u> • <u>www.pelican.com</u>

Document created on 08-18-25