



2460 StealthLite™

The rechargeable version of the StealthLite™ 2410 LED Flashlight. The 2460 uses the 2469P Ni-MH batteries for extended burn time. It comes with a charger base unit that can be installed at home or work using the transformer, or in a vehicle through direct wiring or 12V plug-in.

- Built Pelican tough
- Rechargeable battery pack
- Super bright 1 watt LED beam
- Unconditional Lifetime Guarantee of Excellence
- **NOW WITH NEW UPGRADED SPECS**
- Waterproof




DIMENSIONS

Length 7.00" (17.8 cm)

MATERIALS

Body ABS
O-Ring Ethylene Propylene
Lens Polycarbonate (PC)
Shroud ABS
Contact Spring Retainer Stainless Steel / Phosphore Bronze

COLOURS

 High Visibility Yellow

LIGHT SPECS

Lamp Type LED

POWER

Battery Size AA
Battery Type NiMH
Battery Quantity 4
Batteries Included yes
Rechargeable yes
Charge Time 5 hrs
Volts 4.8v

WEIGHT

Weight With Batteries 7.8 oz (221 gr)
Weight Without Batteries 4.4 oz (125 gr)
Packaged Weight 1.4 oz (40 gr)

SWITCH






Switch Type	One-handed Safety Switch
Light Modes	On / Off

CERTIFICATIONS

Class I, Division 2
Class II, Division 2

OTHER

Submersible	yes
Minimum Pack	1
Military	yes
Package Code	C

FL1 STANDARD	HIGH
	183 LUMENS
	5h 0mins
	179m
	8050cd
	IPX7

ACCESSORIES




8056F
12v Plug-in for Fast Charger



2467F
110V Transformer (USA)



6061F
Direct Wiring Rig for Fast
Charger



2468A
220V Transformer (Australia)



2469P
Replacement Battery

Pelican
23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311
sales@pelican.com • www.pelican.com

Document created on 09-22-24