



3310PL

Your days of fumbling around in the dark are over. The 3310PL LED incorporates photoluminescent technology which emits a bright glow making it highly visible in pitch black environments. And, with a run time of 202 hours (low), the new 3310PL LED proves itself invaluable in emergency situations.

So get back on track with our glow-in-the-dark, high performance 3310PL LED with up to 378 lumens of uncompromising flashlight performance.

The new 3310PL LED: Helping you find your light and your way.

- Removable Lanyard
- 3 AA Batteries (Included)
- Compact and Lightweight
- High/Low/Flashing Modes
- **NOW WITH NEW UPGRADED SPECS**
- Ingress Protected IPX8 Submersible
- Removable clip included




DIMENSIONS

Length 6.14" (15.6 cm)

MATERIALS

Body Photo luminescent Polycarbonate (PC)
O-Ring EPDM
Lens Polycarbonate (PC)
Clip Nylon

COLOURS

 Photoluminescent

LIGHT SPECS

Lamp Type LED

POWER

Battery Size AA
Battery Type Alkaline
Battery Quantity 3
Batteries Included yes
Volts 4.5v

WEIGHT






Weight With Batteries 6.2 oz (176 gr)
Weight Without Batteries 3.7 oz (105 gr)

SWITCH

Switch Type Push Button
Light Modes High / Low / Flashing

OTHER

Minimum Pack 1
Package Code C

| FL1 STANDARD | HIGH | LOW |
|---|---------------|--------------|
|  | 378 LUMENS | 39 LUMENS |
|  | 8h 0mins | 202h 0mins |
|  | 196m | 62m |
|  | 9580cd | 961cd |
|  | IPX8 (1m) | |

ACCESSORIES



2469P
Replacement Battery

Pelican

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311

sales@pelican.com • www.pelican.com

Document created on 09-22-24