



## V770

### Vault

#### Single Rifle Case

Built for hard use, high impact and supreme weather resistance, new Vault series gun cases are the most rugged and secure in their class. Equipped with a host of premium protective features at a price more hunters and shooters can afford, as only the 42-year veteran of hard knocks could deliver.

- Four layers of protective foam
- Made in the USA
- Crushproof, dustproof, and weather-resistant
- High-impact polymer assures protection of your firearm, via road, trail or air
- Heavy duty handles are ergonomic and will stand up in even the toughest conditions
- Four push button latches offer secure closure with easy-open access
- The perfect case for scoped rifles from carbine size to full length magnums



### DIMENSIONS

<b>Interior (L×W×D)</b>	50.00 x 10.00" x 6.00 (127 x 25.4 x 15.2 cm)
<b>Exterior (L×W×D)</b>	51.47 x 13.15" x 6.65 (130.7 x 33.4 x 16.9 cm)
<b>Lid Depth</b>	1.57" (4 cm)
<b>Bottom Depth</b>	4.43" (11.3 cm)
<b>Total Depth</b>	6" (15.2 cm)
<b>Int Volume</b>	1.74 ft <sup>3</sup> (0.049 m <sup>3</sup> )
<b>Padlock Hole Diameter</b>	0.46" (1.2 cm)

### MATERIALS

<b>Body</b>	Polyethylene
<b>Latch</b>	ABS
<b>O-Ring</b>	Polymer
<b>Pins</b>	Stainless Steel
<b>Foam</b>	1.12 lbs. ELE (Polyurethane)
<b>Purge Body</b>	ABS
<b>Purge Vent</b>	3 Micron Hydrophobic Non-Woven

### COLOURS

■ Black

### WEIGHT

<b>Weight With Foam</b>	16.08 lbs (7.3 kg)
<b>Weight Empty</b>	13.60 lbs (6.2 kg)
<b>Master Pack Weight</b>	19.21 lbs (8.7 kg)

### TEMPERATURE

<b>Minimum Temperature</b>	0°F (-17.8 °C)
----------------------------	----------------

**Maximum Temperature** 140°F (60 °C)

## ACCESSORIES


---



**1506TSA**  
TSA Lock



**1500D**  
Desiccant Silica Gel



**V770FS**  
4 pc. Replacement Foam Set

---

### **Pelican**

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311  
[sales@pelican.com](mailto:sales@pelican.com) • [www.pelican.com](http://www.pelican.com)

*Document created on 08-17-25*