

# 1550 Protector

Sensitive equipment needs protection, and since 1976 the answer has been the Pelican<sup>™</sup> Protector Case. These cases are designed rugged, and travel the harshest environments on earth. Against the extreme cold of the arctic or the heat of battle, Pelican cases have survived.

Made in the USA, these tough cases are designed with an automatic purge valve, that equalizes air pressure, a watertight silicone O-ring lid, over-molded rubber handles and stainless steel hardware.

- Personalized nameplate service available
- Watertight, crushproof, and dustproof
- 2 level Pick N Pluck  $^{\scriptscriptstyle \rm M}$  with convoluted lid foam
- Automatic pressure equalization valve balances interior pressure, keeps water out
- Comfortable rubber over-molded handle
- Easy open double-throw latches
- Lifetime Guarantee of Excellence
- O-ring seal
- Open cell core with solid wall design strong, light weight
- Stainless steel hardware and padlock protectors



## CONFIGURATIONS



1550 Standard



**1550NF** No Foam



**1550TP** With TrekPak Divider System



1554 With Padded Dividers



**1550WF** With Foam

#### DIMENSIONS

Interior (L×W×D)	18.63 x 14.18" x 7.72 (47.3 x 36 x 19.6 cm)	
Exterior (L×W×D)	20.66 x 17.20" x 8.40 (52.5 x 43.7 x 21.3 cm)	
Lid Depth	1.75" (4.4 cm)	
Bottom Depth	5.87" (14.9 cm)	
Total Depth	7.62" (19.4 cm)	
Int Volume	1.18 ft³ (0.033 m³)	
Padlock Hole Diameter	0.31" (0.8 cm)	

#### MATERIALS

Body	Polypropylene
Latch	ABS
O-Ring	Polymer
Pins	Stainless Steel
Foam	1.3 lb Polyurethane
Purge Body	ABS
Purge Vent	3 Micron Hydrophobic Non-Woven

## COLOURS

Black	Orange	Silver	Yellow
WEIGHT			

Weight With Foam	11.90 lbs (5.4 kg)
Weight Empty	10.58 lbs (4.8 kg)
Buoyancy	69.89 lbs (31.7 kg)
Master Pack Weight	28.35 lbs (12.9 kg)

#### TEMPERATURE

Minimum Temperature	-40°F (-40 °C)
Maximum Temperature	190°F (87.8 °C)

#### CERTIFICATIONS

IP67	
MIL C-4150J	
Def Stan 81-41	
ATA 300	

## OTHER

Master Pack	2
Nameplate	yes
Military	yes

#### ACCESSORIES



1551

4 pc. Replacement Foam Set



**1552** Pick N Pluck™ Sections Only (set of 2)



1553 Replacement O-ring



1555 Padded Divider Set



1500D



1550PF Special Application Panel Frame




1550TPKIT TrekPak Case Divider Kit



1507 Quick Mounts - set of 4

piele piele piele





Pelican 23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311 sales@pelican.com • www.pelican.com

Document created on 09-02-25