



## 3310R

Ultra compact, special designed lithium rechargeable with a “Boost” mode that delivers over 1,000 lumens make the Pelican™ 3310R one of the most powerful flashlights available for its size. Its compact design fits comfortably in your hand and requires little space for storage or transport. The 3310R produces 403 lumens in its high mode and provides up to 50 hours of continuous run time while running in its low mode. In addition to the high and low modes, there is a flashing mode useful for many attention getting scenarios and most impressive the “Boost” mode. The Boost mode delivers 1067 amazing lumens. This performance is a real testament for a light this size. There is a full time battery level indicator built into the power switch so you’ll always know when it’s time to recharge. Additionally, there is a right angle adapter accessory with clip (sold separately) that provides hands free lighting. The right angle adapter allows the light head to articulate, directing the light exactly where you need it. The 3310R, one of the most versatile work lights available today. Some of the many users include firefighters, auto mechanics, electricians, plumbers, handymen and multiple industrial applications.



- Full Time Battery Level Indication
- Lithium Ion Rechargeable Battery
- Lanyard (included)
- Articulating right angle adapter with clip (sold separately)
- 4 modes: Boost / High / Low / Flashing
- Up to 1067 Lumens
- Up to 50 hours run time
- IPX8 Waterproof

### DIMENSIONS

<b>Length</b>	6.11" (15.5 cm)
---------------	-----------------

### MATERIALS

<b>Body</b>	ABS
<b>O-Ring</b>	EPDM
<b>Lens</b>	AR Coated Glass
<b>Shroud</b>	Aluminum with Type II Anodized

### COLOURS

 Black
---

### LIGHT SPECS

<b>Lamp Type</b>	LED
------------------	-----

### POWER

<b>Battery Size</b>	18650
<b>Battery Type</b>	Lithium-Ion
<b>Battery Quantity</b>	1
<b>Batteries Included</b>	yes
<b>Rechargeable</b>	yes
<b>Charge Time</b>	5 hrs






**Battery Level Indicator** RGB LED  
**Volts** 3.7v

## WEIGHT

**Weight With Batteries** 5.4 oz (153 gr)  
**Weight Without Batteries** 3.6 oz (102 gr)

## SWITCH

**Switch Type** Push Button  
**Light Modes** High / Low / Flashing

FL1 STANDARD	HIGH	LOW	BOOST
	403 LUMENS	21 LUMENS	1067 LUMENS
	2h 30mins	50h 0mins	0h 0mins
	149m	34m	243m
	5591cd	281cd	14808cd
	IPX8 (1m)		

## ACCESSORIES



**2389**  
Replacement Battery



**3312**  
Deck/Dash Charger Base Unit



**8056F**  
12v Plug-in for Fast Charger



**2467F**  
110V Transformer (USA)



**6061F**  
Direct Wiring Rig for Fast Charger



**3317**  
Right Angle Adapter



**2388**  
USB Charger

---

**Pelican**

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311  
[sales@pelican.com](mailto:sales@pelican.com) • [www.pelican.com](http://www.pelican.com)

*Document created on 04-26-24*