



## 1965 MityLite™

### YOUR WORLDWIDE PASSPORT THROUGH HAZARDOUS LOCATIONS

While working in hazardous locations, remember a flashlight can be an ignition source. When you need the latest and brightest LED technology in a compact form factor, choose the new **MityLite™ 1965 LED** from Pelican. Small enough to fit in your shirt pocket, yet bright enough to illuminate your work area.

Long lasting, energy efficient, bright LEDs, along with a compact package make the new **MityLite™ 1965 LED** the safety approved light for the job.

- Compact and Lightweight
- IPX7 Waterproof
- Twist on/off activation
- 2 AAA Batteries




### DIMENSIONS

Length	5.48" (13.9 cm)
--------	-----------------

### MATERIALS

Body	EXL
O-Ring	EPDM
Lens	Clear Polycarbonate (PC)
Shroud	EXL
Contact Spring Retainer	Phosphore Bronze

### COLOURS

 High Visibility Yellow
--

### LIGHT SPECS

Lamp Type	LED
-----------	-----

### POWER

Battery Size	AAA
Battery Type	Alkaline
Battery Quantity	2
Batteries Included	yes
Volts	3.0v

### WEIGHT

Weight With Batteries	1.9 oz (54 gr)
Weight Without Batteries	1.1 oz (31 gr)

SWITCH







Switch Type	Rotary
Light Modes	On / Off

CERTIFICATIONS

Class I, Division 1
Class II, Division 1
Class III, Division 1
InMetro

OTHER

Minimum Pack	12
Package Code	C

FL1 STANDARD	HIGH
	87 LUMENS
	2h 30mins
	41m
	429cd
	2m
	IPX7

