



1965 MityLite™

YOUR WORLDWIDE PASSPORT THROUGH HAZARDOUS LOCATIONS

While working in hazardous locations, remember a flashlight can be an ignition source. When you need the latest and brightest LED technology in a compact form factor, choose the new **MityLite™ 1965 LED** from Pelican. Small enough to fit in your shirt pocket, yet bright enough to illuminate your work area.

Long lasting, energy efficient, bright LEDs, along with a compact package make the new **MityLite™ 1965 LED** the safety approved light for the job.

- Compact and Lightweight
- IPX7 Waterproof
- Twist on/off activation
- 2 AAA Batteries




DIMENSIONS

Length 5.48" (13.9 cm)

MATERIALS

Body EXL
O-Ring EPDM
Lens Clear Polycarbonate (PC)
Shroud EXL
Contact Spring Retainer Phosphore Bronze

COLOURS

 High Visibility Yellow

LIGHT SPECS

Lamp Type LED

POWER

Battery Size AAA
Battery Type Alkaline
Battery Quantity 2
Batteries Included yes
Volts 3.0v

WEIGHT

Weight With Batteries 1.9 oz (54 gr)
Weight Without Batteries 1.1 oz (31 gr)

SWITCH







Switch Type	Rotary
Light Modes	On / Off

CERTIFICATIONS

Class I, Division 1
Class II, Division 1
Class III, Division 1
InMetro

OTHER

Minimum Pack	12
Package Code	C

FL1 STANDARD	HIGH
	87 LUMENS
	2h 30mins
	41m
	429cd
	2m
	IPX7

Pelican

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311
sales@pelican.com • www.pelican.com

Document created on 10-20-21