



2490

Specialty Light

With its screw-on traffic wand, Pelican's new 2490 LED makes flight deck FOD (foreign object damage) a thing of the past. Powered by 4AA batteries, the 2490 LED's produces 64 lumens of clean bright light to ensure maximum communication visibility. And, with a run time of 12 hours, the 2490 LED will outlast a full work shift, including over-time. At the bottom of a cargo hold or up on the flight deck, the light weight polymer body is corrosion proof, resistant to extreme temperatures, and is weather resistant using an O-Ring sealed shroud and wand.

The 2490 LED: FOD-proof traffic wand.

- Neutral Traffic Wand
- 4 Color Filters (blue, yellow, red, green)
- FOD-proof screw on wand



DIMENSIONS

Length	12.50" (31.8 cm)
---------------	------------------

MATERIALS

Body	EXL
O-Ring	Ethylene Propylene
Lens	Polycarbonate (PC)
Shroud	ABS
Contact Spring Retainer	Stainless Steel / Phosphore Bronze

COLOURS

■ Gray

LIGHT SPECS

Lamp Type	LED
------------------	-----

POWER

Battery Size	AA
Battery Type	Alkaline
Battery Quantity	4
Volts	6.0v

WEIGHT

Weight With Batteries	8.2 oz (232 gr)
Weight Without Batteries	4.9 oz (139 gr)

SWITCH






Switch Type	One-handed Safety Switch
--------------------	--------------------------

Light Modes

On / Off

OTHER

Submersible yes
Minimum Pack 1
Package Code B

FL1 STANDARD	HIGH
	64 LUMENS
	12h 0mins
	118m
	3459cd
	IPX7

ACCESSORIES



2469P
Replacement Battery

Pelican

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311
sales@pelican.com • www.pelican.com

Document created on 03-01-21