

# 1930 L1™

With a long lamp life and extended battery burn time, you won't be left in the dark with the L1  $^{\text{\tiny TM}}$  flashlight. The polycarbonate body is resistant to chemicals, water and corrosion. The convenient tail switch for constant on/momentary is easy to operate. The L1  $^{\text{\tiny TM}}$  is perfect for close quarter use. Packaged with 4 LR 44 1.5V alkaline coin cells, a break-a-way safety lanyard, and colored lens discs to preserve night vision. This handy flashlight offers a lot for its size.

- Built Pelican tough
- Super bright LED beam
- Unconditional Lifetime Guarantee of Excellence
- Security Lanyard



#### **CONFIGURATIONS**







**1930M** Merchandiser Display

#### **DIMENSIONS**

**Length** 2.64" (6.7 cm)

#### **MATERIALS**

BodyPolycarbonate (PC)O-RingEthylene PropyleneLensPolycarbonate (PC)

Shroud Xenoy

Contact Spring Retainer Phosphore Bronze

### **COLORS**

Black High Visibility Yellow

### LIGHT SPECS

Lamp Type LED

#### **POWER**

Battery Size LR 44

Battery TypeAlkalineBattery Quantity4Batteries IncludedyesVolts6.0v

### WEIGHT

Weight With Batteries 0.9 oz (26 gr)
Weight Without
Batteries 0.6 oz (17 gr)
Packaged Weight 0.8 oz (23 gr)

### **SWITCH**

Switch TypePush Button TailLight ModesOn / Off

## **CERTIFICATIONS**

Class I, Division 1

### **OTHER**

Minimum Pack12MilitaryyesPackage CodeC

FL1 STANDARD	HIGH
31/2	12 LUMENS
$\Theta$	4h 15mins
	17m
	70cd
	IPX4

### **ACCESSORIES**

### Pelican

Document created on 10-19-25