



## iM2300

### Storm

The Pelican™ Storm Case™ has the same legendary DNA as our Pelican Protector Case, with one primary difference: A unique Press and Pull latch that locks automatically, but open with a light touch. Guaranteed for life, the Pelican Storm case is made in the USA and engineered using the finest components.

- Guaranteed for life
- **Watertight, crushproof, and dustproof**
- Two Press & Pull Latches
- Two Padlockable Hasps
- Double-layered, Soft-grip Handle
- Vortex™ Valve
- Powerful Hinges
- Lightweight Strong HPX® Resin



### CONFIGURATIONS



**iM2300**  
Standard



**iM2300-X0000**  
No Foam



**iM2300-X0002**  
With Padded Dividers



**iM2300-X0001**  
With Foam

### DIMENSIONS

|                              |                                               |
|------------------------------|-----------------------------------------------|
| <b>Interior (L×W×D)</b>      | 17.00 x 11.70" x 6.20 (43.2 x 29.7 x 15.7 cm) |
| <b>Exterior (L×W×D)</b>      | 18.20 x 13.90" x 6.70 (46.2 x 35.3 x 17 cm)   |
| <b>Lid Depth</b>             | 2.00" (5.1 cm)                                |
| <b>Bottom Depth</b>          | 4.20" (10.7 cm)                               |
| <b>Total Depth</b>           | 6.2" (15.7 cm)                                |
| <b>Int Volume</b>            | 0.71 ft <sup>3</sup> (0.02 m <sup>3</sup> )   |
| <b>Padlock Hole Diameter</b> | 0.28" (0.7 cm)                                |

### MATERIALS

|                         |                                              |
|-------------------------|----------------------------------------------|
| <b>Body</b>             | Injection Molded HPX™ high performance resin |
| <b>Latch</b>            | Valox - Polybutylene Terephthalate (PBT)     |
| <b>Latch (Alt)</b>      | Xenoy - Polyester/Polycarbonate blend        |
| <b>O-Ring</b>           | EPDM                                         |
| <b>Pins</b>             | Stainless Steel                              |
| <b>Pins (Alt)</b>       | Aluminum                                     |
| <b>Foam</b>             | 1.3/1.35 polyester                           |
| <b>Purge Body</b>       | Valox - Polybutylene Terephthalate (PBT)     |
| <b>Purge Body (Alt)</b> | Xenoy - Polyester/Polycarbonate blend        |
| <b>Purge Vent</b>       | Gortex membrane                              |

COLORS

|                                                                                         |                                                                                            |                                                                                          |
|-----------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
|  Black |  OD Green |  Yellow |
|-----------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|

WEIGHT

|                    |                     |
|--------------------|---------------------|
| Weight With Foam   | 7.10 lbs (3.2 kg)   |
| Weight Empty       | 5.90 lbs (2.7 kg)   |
| Buoyancy           | 45.64 lbs (20.7 kg) |
| Master Pack Weight | 33.00 lbs (15 kg)   |

TEMPERATURE

|                     |                  |
|---------------------|------------------|
| Minimum Temperature | -20°F (-28.9 °C) |
| Maximum Temperature | 140°F (60 °C)    |



CERTIFICATIONS

|      |  |
|------|--|
| IP67 |  |
|------|--|

OTHER

|             |     |
|-------------|-----|
| Master Pack | 4   |
| Military    | yes |

ACCESSORIES

|                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |   |  |
| <b>iM2300-FOAM</b><br>4 pc. Replacement Foam Set                                    | <b>iM2300-BEZEL-LID</b><br>Lid Bezel Kit                                            | <b>iM2300-BEZEL</b><br>Base Bezel Kit                                               | <b>iM-VALVE-M-B</b><br>Manual Purge Valve                                             | <b>iM-STRAP-S-VER2</b><br>Padded Shoulder Strap                                       |
|  |  |  |  |  |
| <b>iM-LIDSTAY</b><br>Lid Stay                                                       | <b>iM2300TPKIT</b><br>TrekPak Case Divider Kit                                      | <b>1525TPDIV</b><br>Extra TrekPak Dividers                                          | <b>1506TSA</b><br>TSA Lock                                                            | <b>1500D</b><br>Desiccant Silica Gel                                                  |
|  |                                                                                     |                                                                                     |                                                                                       |                                                                                       |
| <b>1500CI</b><br>Corrosion Intercept Kit                                            |                                                                                     |                                                                                     |                                                                                       |                                                                                       |

**Pelican**

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311  
[sales@pelican.com](mailto:sales@pelican.com) • [www.pelican.com](http://www.pelican.com)

*Document created on 04-26-24*