

# 2010

### SabreLite™

Meet the design that set the lighting standard for industrial safety and fire rescue. Our 2010 LED combines a traditional task light design with high performance LED technology and safety certifications. The rugged, lightweight polymer body incorporates a twist on/off lens shroud allowing for easy operation and superior impact resistance. The result? Possibly the toughest flashlight available on the market today.

- Twist on/off activation
- Waterproof IPX7
- Lifetime Guarantee of Excellence
- 22-hour runtime
- 3 "C" Batteries (not included)
- Heavy-duty body clip
- · Split ring and security lanyard



### **DIMENSIONS**

**Length** 8.11" (20.6 cm)

#### **MATERIALS**

**Body** EXL

O-Ring Ethylene Propylene
Lens Polycarbonate (PC)

Shroud ABS Clip ABS

Contact Spring Retainer Stainless Steel / Brass Nickel

### **COLORS**

Black High Visibility Yellow

### LIGHT SPECS

Lamp Type LED

### **POWER**

Battery Size C
Battery Type Alkaline
Battery Quantity 3
Volts 4.5v

#### WEIGHT

Weight With Batteries 13.4 oz (380 gr)
Weight Without
Batteries 5.4 oz (153 gr)
Packaged Weight 7.0 oz (198 gr)

# **SWITCH**

**Switch Type** Twisting Lens Shroud

**Light Modes** On / Off

# **CERTIFICATIONS**

Class I, Division 1 Class II, Division 1 Class III, Division 1

# OTHER

SubmersibleyesMinimum Pack1MilitaryyesPackage CodeC

FL1 STANDARD	HIGH
31/4	161 LUMENS
	22h 0mins
	160m
	6398cd
The	IPX7

# **ACCESSORIES**



**2013PL** Photoluminescent Shroud



**80520R** Traffic Wand (Orange)



**8052YW** Traffic Wand (Yellow)

### Pelican

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311 <u>sales@pelican.com</u> • <u>www.pelican.com</u>

Document created on 10-16-25