



## 2350

### Tactical Flashlight

Get a grip on LED performance. Pelican's 2350 LED Flashlight emits up to 178 lumens of concentrated light. Powered by one AA alkaline battery, it's one of the brightest flashlights in its class. At only 4.23", you'll always want the Pelican™ 2350 LED Flashlight in your pocket.

Its small size does not reflect its performance or features. The 2350 provides three modes, High / Strobe / Low. Additionally, it is programmable allowing the end user to select from four different programs.

The Pelican™ 2350 LED Flashlight: Small size. Large Performance.

- 4 Selectable Programs
- Pelican Products, Inc.'s Lifetime Guarantee
- 3 modes High / Strobe / Low
- 178 Lumens
- Removable pocket clip
- 1 AA Battery (included)



## CONFIGURATIONS



**2350**  
Standard



**2350COMBO**  
Flashlight / Helmet Mount Combo

## DIMENSIONS

<b>Length</b>	4.23" (10.7 cm)
---------------	-----------------

## MATERIALS

<b>Body</b>	Aluminum with Type II Anodized
<b>O-Ring</b>	EPDM
<b>Lens</b>	Polycarbonate (PC)
<b>Shroud</b>	Aluminum with Type II Anodized
<b>Clip</b>	High Carbon Steel

## COLORS

- Black

## LIGHT SPECS

<b>Lamp Type</b>	LED
------------------	-----

POWER

Battery Size	AA
Battery Type	Alkaline
Battery Quantity	1
Batteries Included	yes
Volts	1.5v

WEIGHT






Weight With Batteries	3.4 oz (96 gr)
Weight Without Batteries	2.6 oz (74 gr)
Packaged Weight	4.2 oz (119 gr)

SWITCH

Switch Type	Push Button Tail
Light Modes	High / Strobe / Low

OTHER

Minimum Pack	6
Military	yes
Package Code	C

FL1 STANDARD	HIGH	LOW
	178 LUMENS	15 LUMENS
	2h 15mins	21h 0mins
	130m	37m
	4196cd	345cd
	IPX7	

ACCESSORIES



**0781**  
Helmet Light Holder



**2469P**  
Replacement Battery

---

**Pelican**

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311  
[sales@pelican.com](mailto:sales@pelican.com) • [www.pelican.com](http://www.pelican.com)

*Document created on 09-02-25*