



## 2350

Tactical Flashlight

Get a grip on LED performance. Pelican's 2350 LED Flashlight emits up to 178 lumens of concentrated light. Powered by one AA alkaline battery, it's one of the brightest flashlights in its class. At only 4.23", you'll always want the Pelican™ 2350 LED Flashlight in your pocket.

Its small size does not reflect its performance or features. The 2350 provides three modes, High / Strobe / Low. Additionally, it is programmable allowing the end user to select from four different programs.

The Pelican™ 2350 LED Flashlight: Small size. Large Performance.

- 4 Selectable Programs
- Pelican Products, Inc.'s Lifetime Guarantee
- 3 modes High / Strobe / Low
- 178 Lumens
- Removable pocket clip
- 1 AA Battery (included)



### CONFIGURATIONS

---



**2350**  
Standard



**2350COMBO**  
Flashlight / Helmet Mount Combo

### DIMENSIONS

---

**Length** 4.23" (10.7 cm)

### MATERIALS

---

<b>Body</b>	Aluminum with Type II Anodized
<b>O-Ring</b>	EPDM
<b>Lens</b>	Polycarbonate (PC)
<b>Shroud</b>	Aluminum with Type II Anodized
<b>Clip</b>	High Carbon Steel

### COLORS

---

■ Black

### LIGHT SPECS

---

**Lamp Type** LED

## POWER

---

<b>Battery Size</b>	AA
<b>Battery Type</b>	Alkaline
<b>Battery Quantity</b>	1
<b>Batteries Included</b>	yes
<b>Volts</b>	1.5v

## WEIGHT

---

<b>Weight With Batteries</b>	3.4 oz (96 gr)
<b>Weight Without Batteries</b>	2.6 oz (74 gr)
<b>Packaged Weight</b>	4.2 oz (119 gr)

## SWITCH






---

<b>Switch Type</b>	Push Button Tail
<b>Light Modes</b>	High / Strobe / Low

## OTHER

---

<b>Minimum Pack</b>	6
<b>Military</b>	yes
<b>Package Code</b>	C

<b>FL1 STANDARD</b>	<b>HIGH</b>	<b>LOW</b>
	178 LUMENS	15 LUMENS
	2h 15mins	21h 0mins
	130m	37m
	4196cd	345cd
	IPX7	

## ACCESSORIES

---



**0781**  
Helmet Light Holder



**2469P**  
Replacement Battery

---

**Pelican**

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311  
[sales@pelican.com](mailto:sales@pelican.com) • [www.pelican.com](http://www.pelican.com)

*Document created on 09-19-24*