



3610

Little Ed™

Right Angle Light

The 3610 is a right angle flashlight that uses our latest “Deep Mount” LED technology, delivering impressive lumens and lux performance. The stainless steel mounting clip allows for hands free applications. The body is made of tough EXL that's corrosion proof and resistant to extreme temperatures. It is powered by 4 AA alkaline cells (included).

- Built Pelican tough
- Hands-free design
- Stainless steel clip
- Unconditional Lifetime Guarantee of Excellence
- **NOW WITH NEW UPGRADED SPECS**




DIMENSIONS

| | |
|---------------|-----------------|
| Length | 7.51" (19.1 cm) |
|---------------|-----------------|

MATERIALS

| | |
|--------------------------------|---|
| Body | EXL |
| O-Ring | Ethylene Propylene |
| Lens | Polycarbonate (PC) |
| Shroud | ABS |
| Clip | Stainless Steel |
| Contact Spring Retainer | Stainless Steel / Phosphore Bronze / Brass Nickel Plate |

COLORS

| | |
|---|------------------------|
|  | High Visibility Yellow |
|---|------------------------|

LIGHT SPECS

| | |
|------------------|-----|
| Lamp Type | LED |
|------------------|-----|

POWER

| | |
|---------------------------|----------|
| Battery Size | AA |
| Battery Type | Alkaline |
| Battery Quantity | 4 |
| Batteries Included | yes |
| Volts | 6.0v |

WEIGHT

| | |
|---------------------------------|------------------|
| Weight With Batteries | 10.5 oz (298 gr) |
| Weight Without Batteries | 6.9 oz (196 gr) |
| Packaged Weight | 11.1 oz (315 gr) |

SWITCH

| | |
|-------------|--------------------------|
| Switch Type | One-handed Safety Switch |
| Light Modes | On / Off |

CERTIFICATIONS

| |
|-----------------------|
| Class II, Division 1 |
| Class I, Division 1 |
| Class III, Division 1 |
| IECEX ia |
| InMetro |

OTHER

| | |
|--------------|-----|
| Submersible | yes |
| Minimum Pack | 1 |
| Military | yes |
| Package Code | C |

| FL1 STANDARD | HIGH |
|---|---------------|
|  | 183 LUMENS |
|  | 5h 45mins |
|  | 184m |
|  | 8480cd |
|  | IPX7 |

ACCESSORIES



2413PL
Photoluminescent Shroud

Pelican

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311
sales@pelican.com • www.pelican.com

Document created on 04-23-24