



## 7610

Tactical Flashlight

Don't let low battery power freeze you in your tracks. Our new Pelican™ 7610 tactical light is compatible with 1 AA, 2 CR123 or the Pelican 18650 lithium ion rechargeable battery, giving you choices to reload with more battery options to keep the mission going. The power is up to you. The Pelican™ 7610 is loaded with high, strobe, medium and low mode options that can be programmed in five different combinations. A full time battery level indicator and armored with a type III hard anodized finish, the Pelican™ 7610 can take a hit and will never keep you guessing in the dark.

- Type III hard anodized finish
- Full Time Battery Level Indication
- Will run on 1 AA, 2 CR123 or Pelican / Peli rechargeable batteries
- Up to 1018 lumens (with 2x CR123 batteries)
- Four programmable modes (High / Strobe / Medium / Low)
- Five selectable programs



### DIMENSIONS

|               |                 |
|---------------|-----------------|
| <b>Length</b> | 5.44" (13.8 cm) |
|---------------|-----------------|

### MATERIALS

|               |                                 |
|---------------|---------------------------------|
| <b>Body</b>   | Aluminum with Type III Anodized |
| <b>O-Ring</b> | NBR                             |
| <b>Lens</b>   | AR Coated Glass                 |
| <b>Shroud</b> | Aluminum with Type III Anodized |
| <b>Clip</b>   | High Carbon Steel               |

### COLORS

■ Black

### LIGHT SPECS

|                  |     |
|------------------|-----|
| <b>Lamp Type</b> | LED |
|------------------|-----|

### POWER






|                                |                             |
|--------------------------------|-----------------------------|
| <b>Battery Size</b>            | AA                          |
| <b>Battery Type</b>            | Alkaline                    |
| <b>Battery Quantity</b>        | 1                           |
| <b>Batteries Included</b>      | yes                         |
| <b>Battery Level Indicator</b> | Full-time battery indicator |
| <b>Volts</b>                   | 1.5v                        |

### WEIGHT

|                                 |                 |
|---------------------------------|-----------------|
| <b>Weight With Batteries</b>    | 5.5 oz (156 gr) |
| <b>Weight Without Batteries</b> | 4.7 oz (133 gr) |

## SWITCH

**Switch Type** Push Button / Momentary Tail Button  
**Light Modes** High / Strobe / Medium / Low

| FL1 STANDARD  | HIGH           | MEDIUM        | LOW          |
|---|----------------|---------------|--------------|
|    | 1018<br>LUMENS | 531<br>LUMENS | 25<br>LUMENS |
|    | 1h 30mins      | 2h 0mins      | 33h 0mins    |
|    | 227m           | 151m          | 33m          |
|   | 12856cd        | 5674cd        | 273cd        |
|  | IPX8 (1m)      |               |              |

## ACCESSORIES



**7616**  
Nylon Holster



**7617**  
Holster / Wand Kit



**2469P**  
Replacement Battery



**2386**  
USB Charger and Battery



**2388**  
USB Charger



**2389**  
Replacement Battery



**7608**  
Plastic Holster



**2387**  
Battery Casing

**Pelican**

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311  
[sales@pelican.com](mailto:sales@pelican.com) • [www.pelican.com](http://www.pelican.com)

*Document created on 10-22-21*