



2750CC

Headlamp

When you can't see the difference between one color cable from another, the job may be compromised. Now you can trust our select flashlights with new Correct Color technology to stop the guess work.

Common LED lights can produce an intense beam and lower CRI (Color Rendering Index), making it difficult to distinguish between different color cables and overpower your work area with blinding bright light. Our new Correct Color flashlights are engineered with a higher CRI(90+ Color Rendering Index) allowing you to see color more accurately in your work environment. And with a low temperature beam (similar to incandescent flashlights) you get the benefits of our Correct Color technology that doesn't outshine the details.

- Up to 63m Beam Distance
- Up to 183 Lumens
- 2 Modes: High / Low
- 3 AAA Alkaline Batteries
- Learn more about Correct Color Lights



DIMENSIONS

Length	2.25" (5.7 cm)
--------	----------------

MATERIALS

Body	Polycarbonate (PC)
O-Ring	Over-molded TPR
Lens	Polycarbonate (PC)
Shroud	Polycarbonate (PC)

COLORS

 Photoluminescent
--

LIGHT SPECS

Lamp Type	LED
-----------	-----

POWER

Battery Size	AAA
Battery Type	Alkaline
Battery Quantity	3
Batteries Included	yes
Volts	4.5v

WEIGHT







Weight With Batteries	3.4 oz (96 gr)
Weight Without Batteries	2.1 oz (60 gr)

SWITCH

Switch Type	Push Button
Light Modes	High / Low / Flashing

OTHER

Minimum Pack	1
Package Code	C

FL1 STANDARD	HIGH	LOW
	183 LUMENS	50 LUMENS
	2h 30mins	11h 0mins
	63m	31m
	989cd	240cd
	1m	
	IPX4	

ACCESSORIES



0783
Head Strap Retainers



2748
Strapless Headlamp Adapter

Pelican

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311
sales@pelican.com • www.pelican.com

Document created on 04-24-24