



3330

PM6™

Tactical Flashlight

Same as the 3320 Flashlight, but in an LED version. The PM6™ 3330 LED Flashlight is made of light weight Xenoy polymer that's corrosion proof, resistant to extreme temperatures, and extremely strong. It uses a 1 watt LED and is powered by 2 CR123 lithium cells (included). A black oxide coated steel clip is built in and the one-handed tail switch activates the 3330 on, for constant light or momentary blink.

- Built Pelican tough
- Durable and light weight polymer body
- Sturdy, detachable, magnesium coated clip
- Super bright 1 watt LED beam
- Tactical on/off momentary tail switch
- Unconditional Lifetime Guarantee of Excellence



DIMENSIONS

Length 5.27" (13.4 cm)

MATERIALS

Body Xenoy
O-Ring Polymer
Lens Polycarbonate (PC)
Shroud Xenoy
Clip Black Oxide Coated Stainless Steel
Contact Spring Retainer Stainless Steel

COLORS

■ Black

LIGHT SPECS

Lamp Type LED

POWER

Battery Size CR123
Battery Type Lithium
Battery Quantity 2
Batteries Included yes
Volts 6.0v

WEIGHT






Weight With Batteries 3.5 oz (99 gr)
Weight Without Batteries 2.2 oz (62 gr)
Packaged Weight 5.9 oz (167 gr)

SWITCH

Switch Type Push Button
Light Modes On / Off

OTHER

Minimum Pack 6
Package Code C

FL1 STANDARD	HIGH
	90 LUMENS
	4h 45mins
	88m
	1959cd
	IPX4

ACCESSORIES



0770
Helmet Light Holder



0781
Helmet Light Holder

Pelican

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311

sales@pelican.com • www.pelican.com

Document created on 10-29-20