



1975i

Stay trim and powerful in the danger zone. With IECEX ia, Class I II III Division 1 certification, 117 blinding bright lumens, and a true penlight size and shape, the new Pelican™ 1975i penlight is the slimmest and brightest safety approved penlight. Engineered with an aluminum core and ABS overmolded plastic, the Pelican™ 1975i penlight can survive tough work environments, yet is slim enough to snap into the available helmet mount or hold with your teeth. The Pelican™ 1975 penlight activates with a click of the tail switch or light pressure for momentary use. The Pelican™ 1975i penlight: Make danger your pen pal.

- 2 pilas AAA
- Diseño delgado y resistente
- Interruptor trasero para un uso puntual o continuado
- Base para Casco
- 117 lúmenes
- Safety Certified, IECEX ia, Class I, II, III, Division 1




DIMENSIONES

| | |
|-----------------|-----------------|
| longitud | 5.75" (14.6 cm) |
|-----------------|-----------------|

MATERIALES

| | |
|--------------------------------------|------------------------------------|
| cuerpo | Anti-static Impact Modified PC/PBT |
| anillo de sellado de neopreno | NBR |
| lente | PC |
| cubierta | Anti-static Impact Modified PC/PBT |
| Clip | Anti-static Impact Modified PC/PBT |

COLORES

| |
|--|
|  High Visibility Yellow |
|--|

LIGHT SPECS

| | |
|---------------------------------------|-----|
| tipo de sistema de iluminación | LED |
|---------------------------------------|-----|

POWER

| | |
|----------------------------|----------|
| tamaño de las pilas | AAA |
| tipo de pilas | Alkaline |
| cantidad de pilas | 2 |
| pilas incluidas | sí |
| voltios | 3.0v |

PESO






| | |
|---------------------------|----------------|
| peso con las pilas | 1.9 oz (54 gr) |
| peso sin las pilas | 1.0 oz (28 gr) |

SWITCH

tipo de interruptor Momentary Push Button
modos de iluminación High

CERTIFICACIONES

IECEX ia

| FL1 STANDARD | HIGH |
|---|---------------|
|  | 117 LUMENS |
|  | 2h 15mins |
|  | 24m |
|  | 141cd |
|  | IP68 |

ACCESORIOS



1975H
Soporte de linternas para cascos

Pelican

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311
sales@pelican.com • www.pelican.com

