



iM2950

Storm

Travel Case

The Pelican™ Storm Case™ has the same legendary DNA as our Pelican Protector Case, with one primary difference: A unique Press and Pull latch that locks automatically, but open with a light touch.

Guaranteed for life, the Pelican Storm case is made in the USA and engineered using the finest components.

- Five Press & Pull Latches
- Guaranteed For Life
- Two Padlockable Hasps
- Two Double-layered, Soft-grip Handles
- Powerful Hinges
- O-ring seal



CONFIGURATIONS



iM2950
Standard



iM2950-X0000
No Foam



iM2950-X0002
With Padded Dividers



iM2950-X0006
With TrekPak Divider System



iM2950-X0001
With Foam

DIMENSIONS

| | |
|------------------------------|--|
| Interior (LxWxD) | 29.00 x 18.00" x 10.50 (73.7 x 45.7 x 26.7 cm) |
| Exterior (LxWxD) | 31.30 x 20.40" x 12.20 (79.5 x 51.8 x 31 cm) |
| Lid Depth | 2.00" (5.1 cm) |
| Bottom Depth | 8.50" (21.6 cm) |
| Total Depth | 10.5" (26.7 cm) |
| Int Volume | 3.17 ft ³ (0.09 m ³) |
| Padlock Hole Diameter | 1/4" (2.5 cm) |

MATERIALS

| | |
|-------------------------|--|
| Body | Injection Molded HPX™ high performance resin |
| Latch | Valox - Polybutylene Terephthalate (PBT) |
| Latch (Alt) | Xenoy - Polyester/Polycarbonate blend |
| O-Ring | EPDM |
| Pins | Stainless Steel |
| Pins (Alt) | Aluminum |
| Foam | 1.3/1.35 polyester |
| Purge Body | Valox - Polybutylene Terephthalate (PBT) |
| Purge Body (Alt) | Xenoy - Polyester/Polycarbonate blend |
| Purge Vent | Gortex membrane |

COLOURS

■ Black

■ OD Green

■ Yellow

WEIGHT

| | |
|---------------------------|----------------------|
| Weight With Foam | 28.70 lbs (13 kg) |
| Weight Empty | 20.80 lbs (9.4 kg) |
| Buoyancy | 200.85 lbs (91.1 kg) |
| Master Pack Weight | 28.00 lbs (12.7 kg) |

TEMPERATURE

| | |
|----------------------------|------------------|
| Minimum Temperature | -20°F (-28.9 °C) |
| Maximum Temperature | 140°F (60 °C) |

CERTIFICATIONS

MIL-STD-810F
ATA 300
FED-STD-101C

FOAM PROPERTIES

| | |
|-----------------------|--------------------|
| Layer 1 (Lid) | 2.00" Convolute |
| Layer 2 (Base) | 0.63" Pad |
| Layer 3 (Base) | 2.00" Pick N Pluck |
| Layer 4 (Base) | 2.00" Pick N Pluck |
| Layer 5 (Base) | 2.00" Pick N Pluck |
| Layer 6 (Base) | 2.00" Pick N Pluck |

OTHER

| | |
|--------------------------|-----|
| Extendable Handle | yes |
| Master Pack | 1 |
| Military | yes |

ACCESSORIES




IM29XX-BEZEL-LID
Lid Bezel Kit



IM29XX-BEZEL
Base Bezel Kit



IM2950-FOAM
6 pc. Replacement Foam Set



IM2950-DIV
Padded Divider Set



IM-LIDSTAY
Lid Stay



IM29XX-UTILITYORG
Utility Organizer



IM2950TPKIT
TrekPak Case Divider Kit



IM2950TPDIV
Extra TrekPak Dividers



1506TSA
TSA Lock



1500D
Desiccant Silica Gel

Pelican
23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311
sales@pelican.com • www.pelican.com

Document created on 01-27-20