



3310R

Ultra compact, special designed lithium rechargeable with a “Boost” mode that delivers over 1,000 lumens make the Pelican™ 3310R one of the most powerful flashlights available for its size. Its compact design fits comfortably in your hand and requires little space for storage or transport. The 3310R produces 403 lumens in its high mode and provides up to 50 hours of continuous run time while running in its low mode. In addition to the high and low modes, there is a flashing mode useful for many attention getting scenarios and most impressive the “Boost” mode. The Boost mode delivers 1067 amazing lumens. This performance is a real testament for a light this size. There is a full time battery level indicator built into the power switch so you’ll always know when it’s time to recharge. Additionally, there is a right angle adapter accessory with clip (sold separately) that provides hands free lighting. The right angle adapter allows the light head to articulate, directing the light exactly where you need it. The 3310R, one of the most versatile work lights available today. Some of the many users include firefighters, auto mechanics, electricians, plumbers, handymen and multiple industrial applications.



- Full Time Battery Level Indication
- Lithium Ion Rechargeable Battery
- Lanyard (included)
- Articulating right angle adapter with clip (sold separately)
- 4 modes: Boost / High / Low / Flashing
- Up to 1067 Lumens
- Up to 50 hours run time
- IPX8 Waterproof

DIMENSIONS

Length	6.11" (15.5 cm)
---------------	-----------------

MATERIALS

Body	ABS
O-Ring	EPDM
Lens	AR Coated Glass
Shroud	Aluminum with Type II Anodized

COLOURS

 Black

LIGHT SPECS

Lamp Type	LED
------------------	-----

POWER

Battery Size	18650
Battery Type	Lithium-Ion
Battery Quantity	1
Batteries Included	yes
Rechargeable	yes
Charge Time	5 hrs






Battery Level Indicator RGB LED
Volts 3.7v

WEIGHT

Weight With Batteries 5.4 oz (153 gr)
Weight Without Batteries 3.6 oz (102 gr)

SWITCH

Switch Type Push Button
Light Modes High / Low / Flashing

FL1 STANDARD	HIGH	LOW	BOOST
	403 LUMENS	21 LUMENS	1067 LUMENS
	2h 30mins	50h 0mins	0h 0mins
	149m	34m	243m
	5591cd	281cd	14808cd
	IPX8 (1m)		

ACCESSORIES



2389
Replacement Battery



3312
Deck/Dash Charger Base Unit



8056F
12v Plug-in for Fast Charger



2467F
110V Transformer (USA)



6061F
Direct Wiring Rig for Fast
Charger



3317
Right Angle Adapter



2388
USB Charger

Pelican

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311
sales@pelican.com • www.pelican.com

Document created on 04-23-24