

0340

Protector

Cube Case

Sensitive equipment needs protection, and since 1976 the answer has been the Pelican™ Protector Case. These cases are designed rugged, and travel the harshest environments on earth. Against the extreme cold of the arctic or the heat of battle, Pelican cases have survived.

Made in the USA, these tough cases are designed with an automatic purge valve, that equalizes air pressure, a watertight silicone O-ring lid, overmolded rubber handles and stainless steel hardware.

- Built-in, spring loaded pull handle
- · Large 2-person fold down handles
- Stainless steel caster wheels included
- · Watertight, crushproof, and dustproof
- 3 level Pick N Pluck[™] with convoluted lid foam
- Automatic pressure equalization valve balances interior pressure, keeps water out
- Easy open double-throw latches
- Lifetime Guarantee of Excellence
- O-ring seal
- Open cell core with solid wall design strong, light weight
- Stainless steel hardware and padlock protectors



CONFIGURATIONS



0340 Standard



0344With Padded Dividers



0340NF No Foam



0340WF With Foam

DIMENSIONS

Interior (L×W×D) 18.00 x 18.00 " x 18.00 (45.7 x 45.7 x 45.7 cm) Exterior (L×W×D) 20.50 x 20.50 " x 19.25 (52.1 x 52.1 x 48.9 cm)

 Lid Depth
 4.50" (11.4 cm)

 Bottom Depth
 13.50" (34.3 cm)

 Total Depth
 18" (45.7 cm)

 Int Volume
 3.38 ft³ (0.096 m³)

 Padlock Hole Diameter
 0.31" (0.8 cm)

MATERIALS

Body Polypropylene
Latch ABS
O-Ring Polymer

Pins Stainless Steel

Foam 1.3 lb Polyurethane

Purge Body ABS

Purge Vent 3 Micron Hydrophobic Non-Woven

COLOURS



WEIGHT

 Weight With Foam
 29.76 lbs (13.5 kg)

 Weight Empty
 24.00 lbs (10.9 kg)

 Buoyancy
 220.46 lbs (100 kg)

 Master Pack Weight
 32.24 lbs (14.6 kg)

TEMPERATURE

Minimum Temperature -40°F (-40 °C) **Maximum Temperature** 210°F (98.9 °C)

CERTIFICATIONS

IP67

Def Stan 81-41

OTHER

Wheels 4
Master Pack 1
Nameplate yes
Reduced Area yes
Military yes

ACCESSORIES



7 pc. Replacement Foam Set



0343 Replacement O-ring



0345 Padded Divider Set



0357 Cube Case Mobility Package



1507 Quick Mounts - set of 4



1500CICorrosion Intercept Kit

Pelican

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311 <u>sales@pelican.com</u> • <u>www.pelican.com</u>

Document created on 04-24-24