

1975

Stay trim and powerful in the danger zone. With Class I II III Division 1 certification, 117 blinding bright lumens, and a true penlight size and shape, the new Pelican™ 1975 penlight is the slimmest and brightest safety approved penlight.

Engineered with an aluminum core and ABS overmolded plastic, the Pelican™ 1975 penlight can survive tough work environments, yet is slim enough to snap into the available helmet mount or hold with your teeth. The Pelican™ 1975 penlight activates with a click of the tail switch or light pressure for momentary use.

The Pelican™ 1975 penlight: Make danger your pen pal.

- 2 AAA Batteries
- Slim and Tough Design
- Full / Momentary Activation Tail Switch
- Helmet Mount
- Safety Certified, Class I, II, III, Division 1
- 117 Lumens



DIMENSIONS

| Length | 5.75" (14.6 cm |
|--------|----------------|
|--------|----------------|

MATERIALS

| Body | ABS |
|--------|-----|
| O-Ring | NBR |
| Lens | PC |
| Shroud | ABS |
| Clip | ABS |

COLOURS

High Visibility Yellow

LIGHT SPECS

| L | .amp | Туре | | LED |
|---|------|------|--|-----|
|---|------|------|--|-----|

POWER

Battery SizeAAABattery TypeAlkalineBattery Quantity2Batteries IncludedyesVolts3.0v

WEIGHT

Weight With Batteries 1.9 oz (54 gr)
Weight Without
Batteries 1.1 oz (31 gr)

SWITCH

Switch Type

Momentary Push Button

Light Modes

High

CERTIFICATIONS

Class I, Division 1 Class II, Division 1 Class III, Division 1

| FL1 STANDARD | HIGH |
|--|---------------|
| | 117 LUMENS |
| Θ | 2h 15mins |
| | 24m |
| | 141cd |
| The state of the s | IP68 |

ACCESSORIES



1975H Helmet Light Holder

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311 <u>sales@pelican.com</u> • <u>www.pelican.com</u>

Document created on 04-24-24