



2450 StealthLite™

The rechargeable version of the StealthLite™ 2400 Flashlight. The 2450 provides a consistently bright Xenon beam after every charge. It is submersible and corrosion proof. The charger base unit can be installed at home or work using the 110V transformer. Or in a vehicle through direct wiring or 12V plug-in. It comes with a long-life rechargeable NiMH battery pack, but 4 AA alkaline cells can also be used.


- Built Peli tough
- Rechargeable battery pack
- Submersible
- Super bright Xenon beam
- Peli's legendary lifetime guarantee**
- **Where applicable by law



CONFIGURATIONS



2450
Standard



2451B
Flashlight with battery only

DIMENSIONS

Length	6.50" (16.5 cm)
---------------	-----------------

MATERIALS

Body	ABS
O-Ring	Ethylene Propylene
Lens	Polycarbonate (PC)

Shroud	K-Resin
Contact Spring Retainer	Stainless Steel / Phosphore Bronze

COLOURS

<div></div> Black	<div></div> High Visibility Yellow
-------------------	------------------------------------

LIGHT SPECS

Lamp Type	Incandescent (Xenon)
------------------	----------------------

POWER

Battery Type	NiMH
Battery Quantity	4
Batteries Included	yes
Rechargeable	yes
Charge Time	3 hrs
Volts	6.0v

WEIGHT

Weight With Batteries	7.8 oz (221 gr)
Weight Without Batteries	4.4 oz (125 gr)
Packaged Weight	1.4 oz (40 gr)

SWITCH






Switch Type	One-handed Safety Switch
Light Modes	On / Off

CERTIFICATIONS

Class I, Division 2	
Class II, Division 2	

OTHER

Submersible	yes
Minimum Pack	1
Military	yes
Package Code	C

FL1 STANDARD	HIGH
	35 LUMENS
	3h 30mins
	122m
	3735cd
	IPX7

ACCESSORIES




0770
Helmet Light Holder




8056F
12v Plug-in for Fast Charger




6061F
Direct Wiring Rig for Fast
Charger



2458
220V Adapter



2455N
12v Plug



2468H
220V Transformer (UK)

Peli

c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999
info@peli.com • www.peli.com

