



2010 SabreLite™

Meet the design that set the lighting standard for industrial safety and fire rescue. Our 2010 LED combines a traditional task light design with high performance LED technology and safety certifications. The rugged, lightweight polymer body incorporates a twist on/off lens shroud allowing for easy operation and superior impact resistance. The result? Possibly the toughest flashlight available on the market today.

- Twist on/off activation
- Waterproof IPX7
- Lifetime Guarantee of Excellence
- 22-hour runtime
- 3 "C" Batteries (not included)
- Heavy-duty body clip
- Split ring and security lanyard




DIMENSIONS

Length	8.11" (20.6 cm)
---------------	-----------------

MATERIALS

Body	EXL
O-Ring	Ethylene Propylene
Lens	Polycarbonate (PC)
Shroud	ABS
Clip	ABS
Contact Spring Retainer	Stainless Steel / Brass Nickel

COLORS

 Black	 High Visibility Yellow
---	--

LIGHT SPECS

Lamp Type	LED
------------------	-----

POWER

Battery Size	C
Battery Type	Alkaline
Battery Quantity	3
Volts	4.5v

WEIGHT

Weight With Batteries	13.4 oz (380 gr)
Weight Without Batteries	5.4 oz (153 gr)
Packaged Weight	7.0 oz (198 gr)

SWITCH

Switch Type	Twisting Lens Shroud
Light Modes	On / Off

CERTIFICATIONS

Class I, Division 1
Class II, Division 1
Class III, Division 1

OTHER

Submersible	yes
Minimum Pack	1
Military	yes
Package Code	C

FL1 STANDARD	HIGH
	161 LUMENS
	22h 0mins
	160m
	6398cd
	IPX7

ACCESSORIES



2013PL
Photoluminescent Shroud



8052OR
Traffic Wand (Orange)



8052YW
Traffic Wand (Yellow)

Pelican

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311
sales@pelican.com • www.pelican.com

Document created on 04-24-24