



3660

Little Ed™

Right Angle Light

The rechargeable version of the 3610 Flashlight. The 3660 Flashlight uses a long-life NiMH battery pack for extended burn time. It comes with a charger base unit that can be installed at home or work using the 110V transformer. Or in a vehicle through direct wiring or 12V plug-in adapter.

- Built Pelican tough
- Deep Mount LED
- Hands-free design
- Stainless steel clip
- Unconditional Lifetime Guarantee of Excellence
- **NOW WITH NEW UPGRADED SPECS**



DIMENSIONS

Length	7.51" (19.1 cm)
---------------	-----------------

MATERIALS

Body	ABS
O-Ring	Ethylene Propylene
Lens	Polycarbonate (PC)
Shroud	ABS
Clip	Stainless Steel
Contact Spring Retainer	Stainless Steel / Phosphore Bronze / Brass Nickel Plate

COLORS

 Black	 High Visibility Yellow
---	--

LIGHT SPECS

Lamp Type	LED
------------------	-----

POWER

Battery Size	AA
Battery Type	NiMH
Battery Quantity	4
Batteries Included	yes
Rechargeable	yes
Charge Time	4 hrs
Volts	4.8v

WEIGHT

Weight With Batteries	10.6 oz (301 gr)
------------------------------	------------------

Weight Without Batteries 7.0 oz (198 gr)
Packaged Weight 1.7 oz (48 gr)

SWITCH






Switch Type One-handed Safety Switch
Light Modes On / Off

CERTIFICATIONS

Class I, Division 2
Class II, Division 2

OTHER

Minimum Pack 1
Military yes
Package Code C

FL1 STANDARD	HIGH
	183 LUMENS
	5h 0mins
	179m
	8050cd
	IPX7

ACCESSORIES



2479
Replacement Battery



8056F
12v Plug-in for Fast Charger



2450FBC
Fast Charger Bank (5
receptacles)



2467F
110V Transformer (USA)



2470F
Deck/Dash Charger Base Unit



6061F
Direct Wiring Rig for Fast
Charger

Pelican

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311
sales@pelican.com • www.pelican.com

Document created on 09-20-24