



iM2620

Storm

Travel Case

The Pelican™ Storm Case™ has the same legendary DNA as our Pelican Protector Case, with one primary difference: A unique Press and Pull latch that locks automatically, but open with a light touch. Guaranteed for life, the Pelican Storm case is made in the USA and engineered using the finest components.

- Guaranteed for life
- **Watertight, crushproof, and dustproof**
- Trolley handle & wheel system
- Two Press & Pull Latches
- Two Padlockable Hasps
- Double-layered, Soft-grip Handle
- Vortex™ Valve
- Powerful Hinges
- Lightweight Strong HPX® Resin



CONFIGURATIONS



iM2620
Standard



iM2620-X0000
No Foam



iM2620-X0002
With Padded Dividers



iM2620-X0006
With TrekPak Divider System



iM2620-X0001
With Foam

DIMENSIONS

Interior (L×W×D)	20.00 x 14.00" x 10.00 (50.8 x 35.6 x 25.4 cm)
Exterior (L×W×D)	21.20 x 16.00" x 10.60 (53.8 x 40.6 x 26.9 cm)
Lid Depth	2.00" (5.1 cm)
Bottom Depth	8.00" (20.3 cm)
Total Depth	10" (25.4 cm)
Int Volume	1.62 ft ³ (0.046 m ³)
Padlock Hole Diameter	0.38" (1 cm)

MATERIALS

Body	Injection Molded HPX™ high performance resin
Latch	Valox - Polybutylene Terephthalate (PBT)
Latch (Alt)	Xenoy - Polyester/Polycarbonate blend
O-Ring	EPDM
Pins	Stainless Steel
Pins (Alt)	Aluminum
Foam	1.3/1.35 polyester
Purge Body	Valox - Polybutylene Terephthalate (PBT)
Purge Body (Alt)	Xenoy - Polyester/Polycarbonate blend
Purge Vent	Gortex membrane

COLORS

 Black	 OD Green
---	--

WEIGHT

Weight With Foam	14.50 lbs (6.6 kg)
Weight Empty	12.50 lbs (5.7 kg)
Buoyancy	101.62 lbs (46.1 kg)
Master Pack Weight	14.50 lbs (6.6 kg)

TEMPERATURE

Minimum Temperature	-20°F (-28.9 °C)
Maximum Temperature	140°F (60 °C)


CERTIFICATIONS

IP67	
------	--

OTHER

Master Pack	1
Military	yes

ACCESSORIES

				
iM2620-BEZEL-LID Lid Bezel Kit	iM2620-BEZEL Base Bezel Kit	iM2620-FOAM 6 pc. Replacement Foam Set	iM-VALVE-M-B Manual Purge Valve	iM-STRAP-S-VER2 Padded Shoulder Strap
				
iM-LIDSTAY Lid Stay	iM2620TPKIT TrekPak Case Divider Kit	iM2620TPDIV Extra TrekPak Dividers	1506TSA TSA Lock	1500D Desiccant Silica Gel
				
1500CI Corrosion Intercept Kit	iM2620TPDIV Extra TrekPak Dividers			

Pelican

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311
sales@pelican.com • www.pelican.com

Document created on 07-03-25