



1975

Stay trim and powerful in the danger zone. With Class I II III Division 1 certification, 117 blinding bright lumens, and a true penlight size and shape, the new Pelican™ 1975 penlight is the slimmest and brightest safety approved penlight.

Engineered with an aluminum core and ABS overmolded plastic, the Pelican™ 1975 penlight can survive tough work environments, yet is slim enough to snap into the available helmet mount or hold with your teeth. The Pelican™ 1975 penlight activates with a click of the tail switch or light pressure for momentary use.

The Pelican™ 1975 penlight: Make danger your pen pal.

- 2 AAA Batteries
- Slim and Tough Design
- Full / Momentary Activation Tail Switch
- Helmet Mount
- Safety Certified, Class I, II, III, Division 1
- 117 Lumens




DIMENSIONS

| | |
|---------------|-----------------|
| Length | 5.75" (14.6 cm) |
|---------------|-----------------|

MATERIALS

| | |
|---------------|-----|
| Body | ABS |
| O-Ring | NBR |
| Lens | PC |
| Shroud | ABS |
| Clip | ABS |

COLORS

| |
|--|
|  High Visibility Yellow |
|--|

LIGHT SPECS

| | |
|------------------|-----|
| Lamp Type | LED |
|------------------|-----|

POWER

| | |
|---------------------------|----------|
| Battery Size | AAA |
| Battery Type | Alkaline |
| Battery Quantity | 2 |
| Batteries Included | yes |
| Volts | 3.0v |

WEIGHT






| | |
|---------------------------------|----------------|
| Weight With Batteries | 1.9 oz (54 gr) |
| Weight Without Batteries | 1.1 oz (31 gr) |

SWITCH

Switch Type Momentary Push Button
Light Modes High

CERTIFICATIONS

Class I, Division 1
Class II, Division 1
Class III, Division 1

| FL1 STANDARD | HIGH |
|---|---------------|
|  | 117 LUMENS |
|  | 2h 15mins |
|  | 24m |
|  | 141cd |
|  | IPX4 |

ACCESSORIES



1975H
Helmet Light Holder

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311
sales@pelican.com • www.pelican.com

Document created on 02-28-20