



## 2380

Tactical Flashlight

### INSTANT SPOT TO FLOOD.

A dual purpose tactical light with flood and spot light capabilities: A wide light beam illuminates your work area and a focused light beam will light-up long trails. Our sophisticated Slide-Beam technology instantly alters the beam distance from spot to flood and vice versa. Built-in battery level indicator ensures you will not be left in the dark.

The compact size (6.44"/16.4 cm), ultra bright 372 lumen output, and aerospace grade aluminum body equal high performance in a small package. Built Pelican tough and guaranteed for life, the new 2380 LED Flashlight with slide beam technology gives you the lighting you need, when you need it.

High, Strobe and Low light modes are available with a push of the tail button. It features a non-slip textured body for secure handling. The removable pocket clip offers alternative carry option.

- 4 Selectable Programs
- Pelican Products, Inc.'s Lifetime Guarantee
- 3 modes High / Strobe / Low
- Battery Level Indication
- 2 AA Batteries (included)
- 372 Lumens



### DIMENSIONS

Length	6.44" (16.4 cm)
--------	-----------------

### MATERIALS

Body	Aluminum with Type II Anodized
O-Ring	EPDM
Lens	Polycarbonate (PC)
Shroud	Aluminum with Type II Anodized
Clip	High Carbon Steel

### COLORS

 Black
---

### LIGHT SPECS

Lamp Type	LED
-----------	-----

### POWER

Battery Size	AA
Battery Type	Alkaline
Battery Quantity	2
Batteries Included	yes
Battery Level Indicator	Level indicator
Volts	3.0v

WEIGHT






Weight With Batteries	6.6 oz (187 gr)
Weight Without Batteries	4.9 oz (139 gr)

SWITCH

Switch Type	Push Button
Light Modes	Spot / Flood

OTHER

Minimum Pack	6
--------------	---

FL1 STANDARD	HIGH	LOW
	372 LUMENS	31 LUMENS
	3h 30mins	13h 0mins
	167m	46m
	6967cd	527cd
	IPX7	

ACCESSORIES



**2469P**  
Replacement Battery

---

**Pelican**

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311  
[sales@pelican.com](mailto:sales@pelican.com) • [www.pelican.com](http://www.pelican.com)

*Document created on 05-10-24*