



2755CC

Torçe Frontali

When you can't see the difference between one color cable from another, the job may be compromised. Now you can trust our select flashlights with new Correct Color technology to stop the guess work.

Common LED lights can produce an intense beam and lower CRI (Color Rendering Index), making it difficult to distinguish between different color cables and overpower your work area with blinding bright light. Our new Correct Color flashlights are engineered with a higher CRI(90+ Color Rendering Index) allowing you to see color more accurately in your work environment. And with a low temperature beam (similar to incandescent flashlights) you get the benefits of our Correct Color technology that doesn't outshine the details.

- 2 Modes: High / Low
- 3 AAA Alkaline Batteries
- Up to 50m Beam Distance
- Up to 72 Lumens
- Learn more about Correct Color Lights




DIMENSIONI

lunghezza	2.25" (5.7 cm)
------------------	----------------

MATERIALI

corpo	Polycarbonate (PC)
o-ring	Over-molded TPR
lente	Polycarbonate (PC)
copertura	Polycarbonate (PC)

COLORI

 High Visibility Yellow

LIGHT SPECS

tipo di lampada	LED
------------------------	-----

POWER

dimensioni batteria	AAA
tipo batteria	Alkaline
quantità di batterie	3
batterie incluse	sì
Indicatore di livello della batteria	Low battery warning
volt	4.5v

IL PESO

peso con batterie	3.4 oz (96 gr)
peso senza batterie	2.1 oz (60 gr)

SWITCH






tipo interruttore Push Button
modalità luminose High / Low / Flashing

CERTIFICAZIONI

Class I, Division 1
IECEX ia

ALTRO

Pack minimo 1

FL1 STANDARD	HIGH	LOW
	72 LUMENS	36 LUMENS
	6h 45mins	15h 0mins
	50m	35m
	632cd	302cd
	IP54	

ACCESSORI



0783
Head Strap Retainers



2748
Strapless Headlamp Adapter

Pelican

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311
sales@pelican.com • www.pelican.com

Document created on 10-14-19