

1930

L1™

With a long lamp life and extended battery burn time, you won't be left in the dark with the L1 $^{\rm tm}$ flashlight. The polycarbonate body is resistant to chemicals, water and corrosion. The convenient tail switch for constant on/momentary is easy to operate. The L1 $^{\rm tm}$ is perfect for close quarter use. Packaged with 4 LR 44 1.5V alkaline coin cells, a break-a-way safety lanyard, and colored lens discs to preserve night vision. This handy flashlight offers a lot for its size.

- Built Peli tough
- Super bright LED beam
- Security Lanyard
- Peli's legendary lifetime guarantee**
- **Where applicable by law



CONFIGURATIONS







1930M Merchandiser Display

DIMENSIONS

Length 2.64" (6.7 cm)

MATERIALS

BodyPolycarbonate (PC)O-RingEthylene PropyleneLensPolycarbonate (PC)

Shroud Xenoy

Contact Spring Retainer Phosphore Bronze

COLOURS

Black High Visibility Yellow

LIGHT SPECS

Lamp Type LED

POWER

Battery SizeLR 44Battery TypeAlkalineBattery Quantity4Batteries IncludedyesVolts6.0v

WEIGHT

Weight With Batteries0.9 oz (26 gr)Weight Without
Batteries0.6 oz (17 gr)Packaged Weight0.8 oz (23 gr)

SWITCH

Switch TypePush Button TailLight ModesOn / Off

CERTIFICATIONS

Class I, Division 1

OTHER

Minimum Pack12MilitaryyesPackage CodeC

FL1 STANDARD	HIGH
	12 LUMENS
Θ	4h 15mins
	17m
	70cd
	IPX4

ACCESSORIES

Peli

c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999 info@peli.com • www.peli.com

Document created on 11-01-25