



2360

Tactical Flashlight

If you like the convenience of AA alkaline batteries, but need the performance of lithium batteries, the 2360 LED is the light for you. Using 2 standard AA alkaline batteries, the new 2360 LED emits a peak output of 375 lumens. The 2360 includes 3 modes – High / Strobe / Low and allows the user to select from 4 selectable programs. With the included 29 lumen low beam a run time of up to 13 hours will support close up use and any extended time needs. A strobe mode is also included for tactical or signaling purposes. The built-in battery level indicator ensures you will not be left in the dark.

Constructed with the most durable of materials: an aerospace grade aluminum body and an impact resistant LED lamp module, the 2360 LED keeps you on point without equipment failure.

High, Low and Strobe light output is available with a push of the tail button. It features a non-slip textured body for secure handling. The removable pocket clip offers alternative carry options.

- 4 Selectable Programs
- Pelican Products, Inc.'s Lifetime Guarantee
- 375 lumens
- 3 modes High / Strobe / Low
- Battery Level Indication
- 2 AA Batteries (included)



DIMENSIONS

| | |
|---------------|-----------------|
| Length | 6.20" (15.7 cm) |
|---------------|-----------------|

MATERIALS

| | |
|---------------|--------------------------------|
| Body | Aluminum with Type II Anodized |
| O-Ring | EPDM |
| Lens | Polycarbonate (PC) |
| Shroud | Aluminum with Type II Anodized |
| Clip | High Carbon Steel |

COLOURS

| |
|---|
|  Black |
|---|

LIGHT SPECS

| | |
|------------------|-----|
| Lamp Type | LED |
|------------------|-----|

POWER

| | |
|--------------------------------|-----------------|
| Battery Size | AA |
| Battery Type | Alkaline |
| Battery Quantity | 2 |
| Batteries Included | yes |
| Battery Level Indicator | Level indicator |
| Volts | 3.0v |

WEIGHT






| | |
|--------------------------|-----------------|
| Weight With Batteries | 5.4 oz (153 gr) |
| Weight Without Batteries | 3.7 oz (105 gr) |

SWITCH

| | |
|-------------|-----------------------|
| Switch Type | Momentary Push Button |
| Light Modes | High / Strobe / Low |

OTHER

| | |
|--------------|---|
| Minimum Pack | 6 |
| Package Code | B |

| FL1 STANDARD | HIGH | LOW |
|---|---------------|--------------|
|  | 375 LUMENS | 29 LUMENS |
|  | 2h 30mins | 13h 0mins |
|  | 192m | 53m |
|  | 9187cd | 705cd |
|  | IPX8 (1m) | |

ACCESSORIES



2469P
Replacement Battery

Pelican
23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311
sales@pelican.com • www.pelican.com

Document created on 05-15-24