

# 3610

### Little Ed™

Right Angle Light

The 3610 is a right angle flashlight that uses our latest "Deep Mount" LED technology, delivering impressive lumens and lux performance. The stainless steel mounting clip allows for hands free applications. The body is made of tough EXL that's corrosion proof and resistant to extreme temperatures. It is powered by 4 AA alkaline cells (included).

- Built Pelican tough
- Hands-free design
- Stainless steel clip
- Unconditional Lifetime Guarantee of Excellence
- NOW WITH NEW UPGRADED SPECS



#### **DIMENSIONS**

**Length** 7.51" (19.1 cm)

#### **MATERIALS**

**Body** EXL

O-Ring Ethylene Propylene Lens Polycarbonate (PC)

**Shroud** ABS

Clip Stainless Steel

Contact Spring Retainer Stainless Steel / Phosphore Bronze / Brass Nickel Plate

### **COLORS**

High Visibility Yellow

#### LIGHT SPECS

Lamp Type LED

#### **POWER**

Battery Size AA
Battery Type Alkaline
Battery Quantity 4
Batteries Included yes
Volts 6.0v

#### WEIGHT

Weight With Batteries 10.5 oz (298 gr)
Weight Without
Batteries 6.9 oz (196 gr)
Packaged Weight 11.1 oz (315 gr)

## **SWITCH**

**Switch Type** One-handed Safety Switch

**Light Modes** On / Off

## **CERTIFICATIONS**

Class II, Division 1 Class I, Division 1 Class III, Division 1

IECEx ia InMetro

### **OTHER**

SubmersibleyesMinimum Pack1MilitaryyesPackage CodeC

| FL1 STANDARD | HIGH          |
|--------------|---------------|
| ***          | 183<br>LUMENS |
| $\Theta$     | 5h 45mins     |
|              | 184m          |
|              | 8480cd        |
| The          | IPX7          |

# **ACCESSORIES**



**2413PL** Photoluminescent Shroud

### Pelican

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311 <u>sales@pelican.com</u> • <u>www.pelican.com</u>

Document created on 05-16-24