

# 2755CC

Headlamp

When you can't see the difference between one color cable from another, the job may be compromised. Now you can trust our select flashlights with new Correct Color technology to stop the guess work.

Common LED lights can produce an intense beam and lower CRI (Color Rendering Index), makingit difficult to distinguish between different color cables and overpower your work area with blinding bright light. Our new Correct Color flashlights are engineered with a higher CRI(90+ Color Rendering Index) allowing you to see color more accurately in your work environment. And with a low temperature beam (similar to incandescent flashlights) you get the benefits of our Correct Color technology that doesn't outshine the details.

- 2 Modes: High / Low
- 3 AAA Alkaline Batteries
- Up to 50m Beam Distance
- Up to 72 Lumens
- · Learn more about Correct Color Lights



#### DIMENSIONS

**Length** 2.25" (5.7 cm)

#### **MATERIALS**

BodyPolycarbonate (PC)O-RingOver-molded TPRLensPolycarbonate (PC)ShroudPolycarbonate (PC)

#### **COLORS**

High Visibility Yellow

#### LIGHT SPECS

Lamp Type LED

### **POWER**

Battery Size AAA
Battery Type Alkaline
Battery Quantity 3
Batteries Included yes

Battery Level Indicator Low battery warning

Volts 4.5v

### WEIGHT

Weight With Batteries 3.4 oz (96 gr)
Weight Without
Batteries 2.1 oz (60 gr)

### **SWITCH**

Switch Type Light Modes Push Button

High / Low / Flashing

### **CERTIFICATIONS**

Class I, Division 1

IECEx ia

## OTHER

### **Minimum Pack**

1

FL1 STANDARD	HIGH	LOW
314	72 LUMENS	36 LUMENS
$\Theta$	6h 45mins	15h 0mins
	50m	35m
	632cd	302cd
	IP54	

### **ACCESSORIES**



**2748** Strapless Headlamp Adapter

#### Pelican

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311 <u>sales@pelican.com</u> • <u>www.pelican.com</u>

Document created on 10-17-25